

# Evolution® Collection




We all have to compromise on lots of things as time goes by. Yet **style** should not be one of them.

Our Evolution® Collection defines the philosophy employed by EASA, in which **all the family** can use well designed and stylish products, while benefiting from maximum functionality and safety.

Evolution® Chrome 3 - 5



Evolution® White 3 - 5



Where **design** and **style** meet functionality and safety.

This concept combines improved **performance with stylish design**, offering clients evolutionary options when planning or adapting the home.

## Evolution® Chrome



Evolution® Clear Chrome Option V12 1200 x 900mm doors

*\* Chrome Doors have a beautiful satin Anodised finish*

## Evolution® White



Evolution® Frost White Option V7 1200 x 900mm doors

# Evolution® Collection

Our Doors are subject to extensive testing to meet the requirements of **Construction Products Regulation (EU) No 305/2011 (CPR)** in durability, impact resistance and cleanability.

The Evolution® Collection Doors have plastics with **accredited lifetime antibacterial properties** that reduce the risk of harmful bacteria and cross infection, including MRSA. The White Evolution® Collection doors have this protection in the white coating as well.



EU Construction Products Regulation (EU) No 305/2011 (CPR)  
BS EN 14428 : 2015 + A1 : 2018 Shower Enclosures/Doors  
BS EN 12150-1 : 2015 + A1 : 2019 Glass in building, Thermally toughened soda lime silicate safety glass,  
BS EN 12600 : 2002 Glass in building, Pendulum test,  
Impact test method and classification for flat glass,

## 1. HANDLE/GRIP:

The soft grip provides comfort to the ergonomic and easy to use handles as well as offering colour contrast for those with visual difficulties.

## 2. MAGNETIC CLOSURES:

Strong magnetic strips and durable water seals enhance the opening and closing functions.

## 3. LOCKING HANDLE:

Unique and robust ergonomic locking handles ensure ease of operation and offer colour contrast for those with visual difficulties.

## 4 & 5. RISE & FALL HINGE SYSTEM:

Resilient parts offer added strength to the bi-directional 180 degrees rise & fall hinge system. The doors lock into position when fully open.

## 6. WATER SEALS:

Quadruple dam bottom seals with incorporated water deflection flippers provide better water retention and a unique water seal which is superior to commonly used systems.

## 7. POLE CEILING CONNECTION:

Optional ceiling mounted full height 2.4m (special heights available) curtain support pole.

## 8. CURTAINS:

White weighted 2m drop as a standard. Available in 2m and 2.4m widths (depending on enclosure size). Durable polyester. Curtains can be easily washed.

## 9. CURTAIN RAILS:


Curtain rails are available in Platinum Grey (Evolution® Chrome) and White (Evolution® White).

## 10. Evolution® CLEAR:

Contemporary Chrome or White finish with 4mm toughened/security glass panels that conforms to BS EN 12150-1 : 2015 + A1 : 2019 Safety glass & BS EN 12600 : 2002 for impact test method and classification.

## 11. Evolution® FROST:

Contemporary Chrome or White finish with lightweight polycarbonate panels, stronger than any other commonly used panel material in the market, conforming to ISO Charpy impact test method.



**12. SOAP HOLDER:**

Our beautifully finished optional Soap Holder doubles as a robust support bracket for any fixed panel that does not have a pole.

**13. WALL COMPENSATORS:**

Wall compensators are for mounting the doors to the bathroom walls and are designed to compensate for any walls that may be out of plumb. Standard and XL wall compensators both allow a plumb adjustment of +7 / -20 (Alcove +12 / -15). Standard wall compensator's depth 44mm. XL (optional) wall compensator's depth 94mm.

**14. FULL HEIGHT POLE TO CURTAIN RAIL:**

Optional Pole to Curtain Rail mounting bracket (2.01m) where the pole is adjacent to the Curtain Rail.

**15. POLE MOUNT SCISSOR BRACKET:**

Pole to Curtain Rail mounting scissor bracket where the pole is in the corner of the enclosure.






Frost Chrome Option V4



Clear Chrome Option V12



Frost White Option V7



Frost White Option V7



Frost White Option V2



Clear Chrome Option V13

All Fixed Panel and Wall Hinges are 180° Rise & Fall



Closed

Uni-Fold with Fixed Panel and Uni-Fold Clear Chrome Option V8 doors to suit L/H tray.



Open



Closed

Uni-Fold with Fixed Panel and Uni-Fold Clear Chrome Option V8 doors to suit R/H tray.



Open



Closed

Uni-Fold with Fixed Panel and Bi-Fold Clear Chrome Option V21 doors to suit L/H tray.



Open



Closed

Uni-Fold with Fixed Panel and Bi-Fold Clear Chrome Option V21 doors to suit R/H tray.



Open



Closed

C/E Bi-Fold Clear Chrome Option V4 doors.



Open

# Evolution® Portable Doors



Designed purposely as a water splash protector to keep the carer or a parent with a child dry during assisted showering. EASA Portable Doors can be folded for easy storage when not in use, are lightweight and suitable for travelling.

- Can be used with any EASA Dek or Tray.
- Folds easily for storage when not in use.
- Handles included for ease of carrying.
- Keeps carer or parent with child dry during showering.
- Lightweight (11 kg / 24 lb) and portable, suited for travelling.
- Available in Chrome frost or White frost finish.
- Available in 2 panel 750 x 750mm, 3 panel 500 x 1000 x 500mm or 4 panel 500 x 500 x 500 x 500mm, height 800mm.
- Special configurations available on request.

Product Code	Description	Size
EVPS002FC	2-Panel Portable Door - Chrome	750 x 750mm
EVPS002FW	2-Panel Portable Door - White	750 x 750mm
EVPS001FC	3-Panel Portable Door - Chrome	500 x 1000 x 500mm
EVPS001FW	3-Panel Portable Door - White	500 x 1000 x 500mm
EVPS003FC	4-Panel Portable Door - Chrome	500 x 500 x 500 x 500mm
EVPS003FW	4-Panel Portable Door - White	500 x 500 x 500 x 500mm



3-Panel Portable Door in a Chrome Frost Finish 500 x 1000 x 500mm.



3-Panel Portable Door in a White Frost Finish 500 x 1000 x 500mm.

# Evolution® Easy Order Guide

## ACCESS™ TRAYS

TRAY DIMENSIONS (mm)	AVAILABLE CONFIGURATIONS															
800 x 800	V1	V4	V12F	V13												
900 x 900	V1	V4	V12F	V13												
1000 x 700	V1	V12F	V13	V22												
1000 x 800	V1	V4	V8	V12F	V13	V22										
1000 x 900	V1	V4	V12F	V13												
1000 x 1000	V1	V4	V12F	V13	V22											
1200 x 700	V1	V3	V5	V6	V8	V9	V12F	V13	V14	V15	V16	V17				
1200 x 800	V1	V3	V4	V7	V8	V9	V12F	V13	V14	V15	V16	V17	V21			
1200 x 900	V1	V3	V4	V7	V12F	V13	V14	V15	V17							
1300 x 700	V1	V3	V5	V6	V8	V9	V12F	V13	V14	V15	V16	V17	V19			
1300 x 800	V1	V3	V4	V7	V13	V19										
1400 x 700	V1	V2	V3	V5	V6	V8	V9	V10	V12F	V13	V14	V15	V16	V17	V18	V19
1400 x 800	V1	V2	V3	V5	V9	V10	V12F	V13	V14	V16	V17	V18	V19			
1500 x 800	V2	V3	V7	V9	V10	V17	V19									
1600 x 700	V2	V3	V10	V14	V17	V18	V19									
1700 x 700	V2	V3	V10	V14	V17	V18	V19									
1700 x 800	V2	V3	V10													
1800 x 800	V10															
1800 x 900	V10															

## COMBI TRAYS

TRAY DIMENSIONS (mm)	AVAILABLE CONFIGURATIONS															
800 x 800	V1	V4	V12F	V13												
900 x 900	V1	V4	V12F	V13												
1000 x 800	V1	V4	V8	V12F	V13	V17	V22									
1050 x 1050	V1	V4	V12F	V13												
1200 x 700	V1	V3	V5	V6	V8	V9	V12F	V13	V14	V15	V16	V17				
1200 x 800	V1	V3	V4	V7	V8	V9	V12F	V13	V14	V15	V16	V17	V21			
1200 x 900	V1	V3	V4	V7	V12F	V13	V14	V15	V17							
1300 x 700	V1	V3	V5	V6	V8	V9	V12F	V13	V14	V15	V16	V17	V19			
1500 x 800	V2	V3	V7	V9	V10	V19										
1700 x 800	V2	V3	V10													

## EASA DEK

TRAY DIMENSIONS (mm)	AVAILABLE CONFIGURATIONS															
900 x 900	V1	V4	V12F	V13												
1050 x 1050	V1	V4	V12F	V13												
1150 x 750	V1	V4	V9	V19												
1220 x 1220	V1	V4														
1200 x 900	V1	V3	V4	V7	V12F	V13	V14	V15	V17							
1300 x 800	V1	V3	V4	V7	V9	V13	V19									
1400 x 900	V1	V2	V3	V4	V7	V9	V10	V13	V19							
1500 x 800	V2	V3	V7	V9	V10	V19										
1700 x 750	V2	V3	V10													

## LEVEL ACCESS TRAYS

TRAY DIMENSIONS (mm)	AVAILABLE CONFIGURATIONS															
900 x 900	V4	V12F														
970 x 970	V4															
1020 x 720	V8															
1050 x 1050	V4	V12F														
1200 x 800	V4	V7	V8	V9	V12F	V14	V15	V16	V17	V21						
1220 x 720	V6	V8														
1220 x 770	V8															
1265 x 865	V8	V21														

# Evolution® Easy Order Guide (continued)

STEP IN TRAYS	
TRAY DIMENSIONS (mm)	AVAILABLE CONFIGURATIONS
1200 x 800	V1 V3 V4 V7 V8 V9 V12F V13 V14 V15 V16 V17 V21
1220 x 720	V1 V2 V6 V8
1350 x 750	V5 V9 V17 V21












ACCESS PUMPED TRAY	
TRAY DIMENSIONS (mm)	AVAILABLE CONFIGURATIONS
1200 x 800	V1 V3 V4 V7 V8 V9 V12F V13 V14 V15 V16 V17 V21

## Evolution® Door Configurations

<p><b>OPTION V1</b> SALOON UNI-FOLD</p>	<p><b>OPTION V2</b> SALOON BI-FOLD</p>	<p><b>OPTION V3L</b> SALOON UNI-FOLD WITH FIXED PANEL</p> <p>Left-hand</p>	<p><b>OPTION V3R</b> SALOON UNI-FOLD WITH FIXED PANEL</p> <p>Right-hand</p>	<p><b>OPTION V4</b> CORNER ENTRY BI-FOLD (NON-HANDED)</p>
---	--	--	---	---

<p><b>OPTION V4L</b> CORNER ENTRY BI-FOLD TO SUIT LEFT/RIGHT-HAND TRAY</p> <p>Left-hand</p>	<p><b>OPTION V4R</b> CORNER ENTRY BI-FOLD TO SUIT LEFT/RIGHT-HAND TRAY</p> <p>Right-hand</p>	<p><b>OPTION V5L</b> CORNER ENTRY BI-FOLD WITH FIXED PANEL &amp; UNI-FOLD TO SUIT LEFT/RIGHT-HAND TRAY</p> <p>Left-hand</p>	<p><b>OPTION V5R</b> CORNER ENTRY BI-FOLD WITH FIXED PANEL &amp; UNI-FOLD TO SUIT LEFT/RIGHT-HAND TRAY</p> <p>Right-hand</p>	<p><b>OPTION V6L</b> CORNER ENTRY BI-FOLD &amp; UNI-FOLD TO SUIT LEFT/RIGHT-HAND TRAY</p> <p>Left-hand</p>	<p><b>OPTION V6R</b> CORNER ENTRY BI-FOLD &amp; UNI-FOLD TO SUIT LEFT/RIGHT-HAND TRAY</p> <p>Right-hand</p>
---	--	---	--	--	---

<p><b>OPTION V7L</b> CORNER ENTRY BI-FOLD WITH FIXED PANEL TO SUIT LEFT/RIGHT-HAND TRAY</p> <p>Left-hand</p>	<p><b>OPTION V7R</b> CORNER ENTRY BI-FOLD WITH FIXED PANEL TO SUIT LEFT/RIGHT-HAND TRAY</p> <p>Right-hand</p>	<p><b>OPTION V8L</b> CORNER ENTRY UNI-FOLD WITH FIXED PANEL TO SUIT LEFT/RIGHT-HAND TRAY</p> <p>Left-hand</p>	<p><b>OPTION V8R</b> CORNER ENTRY UNI-FOLD WITH FIXED PANEL TO SUIT LEFT/RIGHT-HAND TRAY</p> <p>Right-hand</p>	<p><b>OPTION V9L</b> CORNER ENTRY BI-FOLD &amp; UNI-FOLD WITH FIXED PANEL &amp; POLE TO SUIT LEFT/RIGHT-HAND TRAY</p> <p>Left-hand</p>	<p><b>OPTION V9R</b> CORNER ENTRY BI-FOLD &amp; UNI-FOLD WITH FIXED PANEL &amp; POLE TO SUIT LEFT/RIGHT-HAND TRAY</p> <p>Right-hand</p>
--	---	---	--	--	---



Door height: 800mm | Handle height: 875mm | Fixed Panel & Wall Compensator height: 820mm (V12 F/P 1900mm & V15 F/P 875mm)  
 Whilst we have a huge variety of standard door configurations and sizes available they are not universal for all tray models and tray sizes. Please refer to the Easy Order Guide for available configurations for the tray type and size that you require.

# Evolution® Collection Door Accessories

## EVOLUTION XL COMPENSATORS

With a depth of 94mm, the extra large compensator will allow you to lengthen the shower door by 50mm each side, Plumb adjustment of +7/-20mm.

Product Code	Description	Depth
AEV000001	Standard Compensator - White (Qty 1)	44mm
AEV000002	Standard Compensator - Chrome (Qty 1)	44mm
AEV000003	Optional XL Compensator - White (Qty 1)	94mm
AEV000004	Optional XL Compensator - Chrome (Qty 1)	94mm



Standard Compensator

## EVOLUTION COLLECTION: POLE OPTIONS

### OPTION 1: SIDE POLE TO CURTAIN RAIL

Product Code	Description	Height
AEV000015	Side Pole to curtain Rail - White	2.04m
AEV000016	Side Pole to curtain Rail - Chrome	2.04m

### OPTION 2: SIDE POLE TO CEILING

Product Code	Description	Height
AEV000005	Side Pole to Ceiling - White	2.60m (trimmable)
AEV000006	Side Pole to Ceiling - Chrome	2.60m (trimmable)

### OPTION 3: SIDE POLE TO WALL

Product Code	Description	Height
AEV000013	Side Pole to Wall (Incl. 1.05m back support bracket) - White	2.04m (trimmable)
AEV000014	Side Pole to Wall (Incl. 1.05m back support bracket) - Chrome	2.04m (trimmable)

### BACK SUPPORT BRACKET

Product Code	Description	Length
AEV000017	Back support bracket (excl. pole) - White	1.05m (trimmable)
AEV000018	Back support bracket (excl. pole) - Chrome	1.05m (trimmable)
AEV000023	Back support bracket (excl. pole) - White	Custom Length
AEV000024	Back support bracket (excl. pole) - Chrome	Custom Length

### CORNER POLE TO CURTAIN RAIL

Product Code	Description	Height
AEV000021	Corner Pole To Curtain Rail - White	2.01m
AEV000022	Corner Pole To Curtain Rail - Chrome	2.01m

## EXTENSION POLES

(fixed to the curtain rail - available in white or chrome)

Product Code	Description	Increases height to
AEV000011	Extension Pole 1.2m - White	3.2m (trimmable)
AEV000012	Extension Pole 1.2m - Chrome	3.2m (trimmable)

